SUBJECT INDEX

A

β-N-Acetylglucosaminidase, 479
O-Acetylserine, 193
Acid phosphatase, 247, 250
Alcohol
  trisomy increase possibility, 89
Alkaline phosphatase, 249, 254
Amino acid biosynthesis control, 208–17
Aminopeptidase, 243
  cellular function, 247
  N-terminal methionine residue removal, 258
Aminopeptidase I
  carbohydrate composition, 248–49
  catabolite inactivation, 256
  cellular functions, 243–44
  properties, 239
Ammonia
  enterobacteria nitrogen source, 193
cAMP, 418, 426, 433–34
  regulatory signal, 417
Amylomaltase, 175
Anderson, Ernest G., 13–15
Aneuploidy, 75–76, 85
  delayed fertilization, 86
Antheraea
  pernyi
    cecropins, 473
    ribosomal proteins, 478
  polyphemus, 470
    chorion gene families, 461
    chorion gene types, 465
    18/401 gene pair, 471–73
    ribosomal proteins, 478
α-1-Antitrypsin
  human trisomy, 91
Arabinose, 178–79, 192, 196–97
  system control, 174
ARG3 gene, 211, 223
Arginine, 193
  biosynthesis, 209
  regulation, 210–11
Arylphorin, 476
Asparaginase II, 247
Asparagine
  linked carbohydrates, 526–29
  synthesis, 527
Attacins, 473
  description, 474–75
Avian erythroblastosis virus, 558
5-Azacytidine, 162–63

B

Bacillus subtilis
  heat-shock production protein similarity, 299
  promoters, 182
  RNA polymerase, 174, 181, 198
  sigma factors, 425
  sporulation versus phage development, 196
Bacterial regulation, 415–41
  conclusions
    cascades and decision points, 434–35
    globally regulated promoters, 434
    multiple regulators/multiple promoters, 433–34
    promoter structure and regulators, 433
    regulator regulation, 435
  global regulatory network components
    induced products, 418–19
    reacting and returning to equilibrium, 419–20
    regulatory proteins, 418
    stimulus and signal, 417–18
  introduction, 415–17
    global regulon definition, 416
  specific systems, 420
    aerobic/anaerobic shifts, 427–28
    catabolite repression, 425–27
    DNA recognition sites, 426
    heat-shock response, 424–25
    lon system, 432
    nitrogen limitation, 430–32
    nitrogen starvation system genes, 431
    phosphate limitation, 428–29
    phosphate starvation system genes, 429
    SOS and heat-shock systems interaction, 425
    SOS regulation, 420–24
Bacterial transcription initiation
  positive control, 173–206
  activators versus repressors, 196–97
  introduction, 173–75
    negative control, 174
  looking back and looking ahead, 197
  missense mutations, 178
  positively controlled systems, 176–77
  positive regulator genes
  positive regulator functions, 192
    electron donors, 194
    priority regulation, 193–94
    specific compounds metabolism, 192
    temporal regulation, 195–96
    constitutive alleles of gene R^c mutations, 178
    genetics and purification of activators, 180
    mutations that inactivate the regulator gene, 175, 178
    negative autoregulation, 179
    regulation, 179–80
  promoters and activator binding sites
    activator binding sites, 185–89
    activator binding sites identification, 185–86, 188–89
    activator independent mutants, 189–91
    cloning, 191
    fitting positively controlled and constitutive to consensus sequence, 184
    sequences of positively controlled promoters, 181–85
Bacteriophage
  temperate, 55–56, 61
Beadle, George, W., 13–14, 18, 23–24
Biotypes
  E. coli, 43–44
Bombyx mori
  see Silkmoths; Silkmoths developmentally regulated genes
Brink, R. A., 14
Burkitt lymphoma cell lines
  translocations, 581–83
    specific examples, 583–86
Burnham, Charles R., 14, 23–24

C

Cadmium
thermotolerance induction, 306
Caenorhabditis elegans
cell division pattern, 491
cell lineages, 492–93
cell lineage mutants, 500
description, 490–91
heterochronic mutants, 517–18
vulval development model, 497
see also Nematode development control
Calliphorin, 476
Carbamoylphosphate, 210
Carboxypeptidase S, 241
cellular function, 246–47
Carboxypeptidase Y, 244, 250, 260
carbohydrate composition, 248–49, 251
cellular functions, 243
cellular locations of carbohydrate processing, 252–53
glycosylation, 252, 254
processing, 255
sorting, 255
structure, 238–39, 252
precursors, 252
structure gene, 239
synthesis, 247, 251
Catabolite activator protein, 178, 183, 188–89
catabolic system control, 194
indirect activation of operon, 190
malT expression control, 180
mutation in binding site, 186
purification, 180–81
RNA polymerase interaction, 188
Cecropins
description, 473
amino acid sequences, 473–74
ced-3 mutant, 507, 509, 519
ced-4 mutant, 507, 509, 519
Cellular oncogenes molecular genetics, 553–612
collusion of mutational mechanisms, 588–90
c-onc's/*v-*'s differences significance, 592–93
differences between *v-onc*'s and *c-onc*'s, 589–90
favored model for oncogenes transduction, 590–92
integrated *v-onc* genes inactivation, 593–94
concluding perspective, 598–99
introduction, 554
molecular profiles of activated oncogenes, 570
additional mutations in provirally mutated *c-myc* loci, 576–78
base substitutions in mutant *ras* alleles, 570–71, 574
c-myc:immunoglobulin gene translocations, 581–83
c-myc:immunoglobulin translocations in BL and PC lines, 583–86
insertionally mutated *c-myc* loci, 574–78
mutations in transforming *ras* genes, 572–73
other proviral insertion mutations, 378–80
Ph[1] chromosome, 586–87
provirus location in *c-myc* loci, 574–76
structural features of amplified oncogenes, 587–88
translocation breakpoints near oncogenes, 581–87
translocations and rearrangements in B cell tumor lines, 587
oncogenes definitions, 555
expression activation by proviral insertions, 563–64, 466
identification by functional tests for dominant mutations, 558–59, 561–62
identification using genetic rearrangements, 562–66
oncogenes affected by insertion mutations, 565
oncogenes amplification, 569
oncogenes at translocation breakpoints, 566–67
oncogenes detected as transforming genes in NIH/3T3 cell assay, 560–61
oncogenes in amplified DNA, 567
proto-oncogenic progenitors of retroviral oncogenes, 555, 558
retroviral oncogenes list, 556–57
translocated oncogenes. 568
toward a molecular definition of cancer, 595
assessing epigenetic changes, 597–98
genes with oncogene-protein interacting products, 597
proto-oncogenes mutations in genetically malleable hosts, 596
recessive oncogenic mutations, 595
Ceramide
linked carbohydrates, 529
c-erbB insertion mutations, 578
Chiasmata
age-related reduction, 84–85
Chitin synthase, 257
Chloramphenicol transacetylase, 175
CHO1 gene, 221
Choline, 218–20, 224
Chorion
genes and choriogenesis, 460
chorion proteins, 460–63
coding sequences, 464
fine structure and expression, 463
5' flanking sequence, 466
gene clusters, 467
gene conversion and evolution, 472–73
gene pair representation, 463
grey egg mutations, 467–68
hybridization probes, 465
molecular organization of gene locus, 469–72
sequence relationships among genes, 462
structural gene mapping and chorion mutants, 467–69
Chromosomes
see Trisomy in man
Chronic myelosenous leukemia, 566, 574, 586
c-mos gene, 579–80, 592
c-myc
immunoglobulin gene translocations, 581–83
in PC and BL cell lines, 583–86
insertionally mutated loci
additional mutations in provirally mutated loci, 576–78
provirus location, 574–76
transforming activity, 592
Collins, Guy M., 16–17
Copia-like elements, 282–83

Coprinus cinereus
recombination nodules, 396
reconstructed zygotine to metaphase I nuclei, 368, 370–71
Correns, Carl, 4, 6–9
CP synthase P, 210
CPA1 gene, 210–12
CPA2 gene, 211
Creighton, Harriet, 24
α-Crystalline, 318
Cysteine
sulfur source for enterobacteria, 193
Cytosine arabinoside, 162
Cuticle
silkworm, 479

D

Demerec, M., 14–15, 19
Diarrheal diseases, 39–40
Dictyostelium discoideum
heat-shock protein, 299
Dipeptidyl aminopeptidase, 240
DNA
amino acid biosynthesis control sequences, 214
binding specificity of regulatory proteins, 186
catabolite activator protein binding, 178
class II MHC genes, 109
heat-shock genes
control sites, 310
promoters sequence, 311
hemoglobinopathy diagnosis, 160–61
hybridization
Escherichia, 34, 59
Escherichia genetic variation, 45–46
insertion sequences, 274, 276
I region of H-2 complex analysis, 113–15
recognition sites
globally controlled systems, 426
repair
heat-shock and SOS systems interactions, 425
SOS system, 420–24
replication
heat-shock proteins, 299, 302–3
selfish, 55
sequences in *E. coli*, 47
insertion sequences, 47–48
plasmids, 48–50
sperm
class I MHC genes, 102
temperature damage, 305
recovery, 308
structure, 314
transposable elements
cross-species gene transfer, 288
occurrence in metazoans, 387
see also Cellular oncogenes molecular genetics; Human β-globin gene, mutation and polymorphism; Synaptonemal complex in genetic segregation
cDNA, 451, 461, 468, 470–71, 475
DNA primase, 303
Down syndrome
maternal
age effect, 81, 84, 86–87
radiation exposure, 87
paternal age effect, 84, 86
thyroid autoimmunity, 89–90
trisomies, 72
affecting factors, 88
HLA types, 91
origin, 77–78
Drosophila melanogaster
gene similarity to nematode genes, 54
homologues of vertebrate proto-oncogenes, 596
recombination nodules and crossing over, 388–94, 397
Drosophila sp., 318
heat-shock
genes, 318–20, 322
proteins, 298, 317
hsp mRNA degradation, 321
transposons
copy number regulation, 282–83
hybrid dysgenesis, 284–85, 290
P factors distribution, 285–87
regulatory mutations induction, 283–84
Drosophila Information Service, 19

E

East, Edward M., 9, 13–17, 21
Egg-specific protein, 477
Electrophoresis
genetic variation in *E. coli*, 44
selective effects of variants, 56–58
subspecies, 59
Emerson, Rollins Adams, 2, 8, 15–16, 21, 23
Cornell, 13–14
Maize Genetics Cooperation, 18–19
Emmerling, Margaret, 16
Enterobacter cloacae, 473
Enterotoxins, 39
Erwinia herbicola
promoter, 186
Escherichia coli, 181, 192, 306, 426
adjustment to environment, 416
aerobic-anaerobic growth switch, 427
cAMP, 417
chromosomal *mal* operon expression, 191
electron donor, 194
genome size, 471
glucose utilization regulation, 194
heat-shock
global system, 419, 424–25
promoters sequence, 311
proteins, 317–18
response, 309–10, 321–22
response and thermal resistance, 307, 318
response genes, 303–4, 311
high-temperature production proteins, 297–98, 300–8
insertion sequences, 276, 278
benefit, 279
properties, 274
lon system mutations, 432
maltose operons promoters homology, 187
negative modulators of heat-shock response, 313
nitrogen regulation, 430
nucleotide production, 315
phosphate accumulation, 193
promoters, 181, 186, 433
RNA polymerase, 174, 181–82
SOS regulation, 420–24
temperature effect, 296–97
yeast *HIS4* gene sequence fusion, 213
Escherichia coli population genetics, 31–68
classification, 33–34
enterobacteria, 33
properties, 33–34
Shigella relationship, 34
DNA sequences, 47
insertion sequences, 47–48
plasmids, 48–50
experimental studies of selection, 55

metabolic compensation, 58
potential for selection, 58
selective effects of electrophoretic variants, 56–58
selective neutrality, 57–58
temperate phage and transposable elements, 55–56
genetic variation, 42
biogrouping supplements, 43
biogroups, 43–44
DNA hybridization, 45–46
genome size, 46
multiple typing, 43
restriction–fragment length polymorphisms, 46
serovars, 42–43
introduction, 32–33
natural history, 34–38
colonization, 35–36
occurrence in animals, 34–35
pathogenicity, 38–39
diarrheal diseases, 39–40
EIEC strains, 40
EPFC strains, 39
ETEC strains, 39–40
neonatal bacterial meningitis, 41
nosocomial infections, 41
other pathogenic strains, 40
specific virulence functions, 38
urinary tract infections, 40
veterinary infections, 41
population structure
clonality, linkage disequilibrium and recombination, 51–52
evolution, 52
geographical differentiation and migration, 52–53
human versus nonhuman isolates, 50–51
pathogenic versus nonpathogenic isolates, 51
periodic selection and random genetic drift, 54
subspecific structure, 54
summary, 59–61
genetic diversity, 59
Escherichia hermannii, 46
Ethanol, 319
cross-resistance with heat, 307
DNA structure, 314
effect on translation process, 306
heat shock
proteins induction, 305
response, 315, 318
response mimic, 425
Ethanolamine, 218
Evolution
E. coli, 52
Eyster, W. H., 15

F

α-Factor, 245, 254, 258
precursor
processing, 259
structure, 246
Fertility drugs
trisomy incidence, 88–89
Fetal production line, 84–85
Fibroins, 445, 448, 456
composition, 446
subunits, 446–47
Fibroin gene, 455–56
enhancer sequences, 453–54
natural versus cloned genes, 454–55
promoter, 452–53
structure and function
chromosomal gene analysis, 449–50
cloned gene analysis, 450–52
sequence homology to sericin gene, 451
structure, 450–52
Fogel, Seymour, 16
Fraser, A. C., 19
Freeling, Michael, 15

G

Galactokinase, 175
Galactose, 256
β-Galactosidase, 175, 194
synthesis control, 174, 419
GCN genes, 216
Genes
see Bacterial transcription initiation positive control; Human β-globin gene, mutation and polymorphism
Gene conversion
class II genes, 111
evidence for in mammalian genomes, 104
donors, 105–7
structural analyses of K^b mutants, 105
occurrence, 107
polymorphism production, 107–8
Global regulatory networks
see Bacterial regulation
Glucose, 194
electrophoretic enzyme variants, 57–58
Glutamine synthetase, 193, 430–31
Glycosylation mutants of animal cells, 525–52
classification and nomenclature, 541–42
functional consequences of mutations, 542–44
future directions, 545–46
glycosylation defects in cell lines, 530, 534
biochemical phenotypes of mutants, 531–33
glycosylation mutants selection, 534
alternative selection protocols, 537–38
carbohydrate-binding proteins, 535
factors affecting obtained mutants, 538–40
Lec^R phenotypes, 536
glycosylation pathways, 526
carbohydrates linked to asparagine, 526–30, 534
carbohydrates linked to ceramide, 529
carbohydrates linked to serine or threonine, 529
carbohydrates of proteoglycans, 530
oligosaccharide-dolichol biosynthesis, 527, 534
processing and terminal glycosylation, 528, 534
introduction, 525–26
isolation and characterization conclusions, 544–45

H

Haplotype, 101–2, 122
association
with β^S, β^E, and β^C alleles, 158–59
with β-globin gene mutations, 154–58
with β-globin gene mutations in ethnic groups, 156–57
differences in number of D region genes, 104
H-2^b, 111
H-2^{bm12}, 110
Hayes, H. K., 14
Heat-shock proteins regulation and genetics, 295–329

comparison with eucaryotic heat-shock response
overview, 316
response elements, 316–18
response function, 318–19
response mechanisms, 319–20
conclusion, 321–22
E. coli, 424–25
introduction, 295–96
mechanism of procaryotic heat-shock response
control nature overview, 309
DNA control sites, 310
effector, 310–12
htpR gene, 311–13
models, 315–16
modulator, 312–14
regulation, 421
stimuli and signals, 314–15
procaryotic heat-shock response elements
genes, 303–4
proteins, 298–303
protein characterization, 298
protein function, 299, 302–3
procaryotic heat-shock response functions, 304
cellular effects of inducers, 304–6
overall function, 306–8
relation to virus infection, 308–9
procaryotic response to high temperature, 296–98
high-temperature production proteins, 297
SOS system interaction, 425
Heat-shock transcription factor, 320
her-1 genes, 510, 514–15
analysis, 513
Heterochronic mutants, 507, 517–18
Hexosediphophatase, 256
High-temperature production proteins
see Heat-shock proteins regulation and genetics
HIS1 gene, 212–14
HIS3 gene, 212–14
HIS4 gene, 212–14, 216–17
Histidase genes, 433
Histidine, 193
biosynthesis
control, 209–10
regulation, 212–14
HLA types
human trisomies, 91
Hofmeyr, J. D. J., 24
Homo
spermotocytes
chromosomes 5 and 22 pairing behavior, 360
cumulative distributions of recombination bars, 385
neighbor nodule/bar distances, 387–88
pairing and chiasma formation between X and Y chromosomes, 381–82
partial reconstructions of nuclei, 376–77
recombination nodules distribution, 385
reconstructed XY bivalents, 382
synaptonemal complex behavior in XY bivalent, 383
synaptonemal complexes length differences, 378–79
see also Human β-globin gene mutations; Trisomy in man
hsp70, 317–19
HtpR, 312–14, 320, 322, 425
heat-shock response mechanisms, 315–16
htpR gene, 304, 309, 311–13, 315, 317, 424–25
165 mutant, 307–8, 311, 315
Human β-globin gene mutation and polymorphism, 131–71
DNA polymorphisms, 149–51
between 5' and 3' sequence clusters, 153
frequency of presence of sites, 150
β-gene frameworks, 151
haplotypes association with β^S, β^E, and β^C alleles, 158–59
haplotype association with β-globin gene mutations, 154–58
increased recombination region between 5' and 3' clusters, 153–54
nonrandom association of restriction polymorphisms, 151–52
origin and spread of common mutations, 159–60
5' segment, 152–53
specific mutations frequency among Mediterraneans, 155
3' region, 153
deletions, 147
frameworks sequence in specified position, 152
β-globin gene expression
enhancer elements, 136
promoter elements, 135–36
RNA splicing, 137–38
transcription unit of gene, 135
introduction and perspectives, 132–33
composition of gene complex, 134
β-gene complex position, 134
general aspects of human globin genes, 133–34
polymorphic restriction sites, 150
prenatal diagnosis by DNA analysis, 160–61
prospects for new forms of therapy, 162
fetal switch modulation, 162–63
gene therapy, 163
β-thalassemias, 138
codon 39 nonsense mutation, 142
complex forms, 146–49
deletion forms, 147–48
enhancement of cryptic splice site, 145
Indian β^O-deletion, 146
mutations, 140–41
mutation location in β-globin gene, 139
mutation of RNA cleavage signal, 145
nondeletion defects, 148–49
nonfunctional mRNA, 141–42
phenotype correlation with gene defects, 146
RNA splicing mutants, 143–45
sequence changes at RNA splicing junctions, 143–44
sequence changes within introns, 144–45
simple form, 138–39
transcription mutants, 139, 141
see also Homo
Hyalophora cecropia
immune response, 473
Hybrid dysgenesis, 284–86, 290
Hydroxyurea, 162

I

I transposons, 284, 286–87
Imidazoleglycerolphosphate, 213
Immer, F. R., 14
Immunoglobulin
  c-myc gene translocations, 581–83
    in PC and BL cell lines, 583–86
INO1 gene, 221–23, 226–27
INO2 gene, 224–26
INO4 gene, 224–26
Inositol, 217, 219–21, 224–26
  biosynthesis regulation, 222–23
Inositol-1-phosphate synthase, 217, 220–25
Insertion sequences, 47–48
Invertase, 247, 250, 254, 258
IS1, 279
IS2, 272, 278
IS3, 272, 279
IS5, 279
IS10, 276–78
IS50, 276–79
α-Isopropylmate synthase, 211–12

J

Jenkins, Merle T., 20
Johnson, I. J., 14
Jones, D. F., 14

K

Kempton, James H., 16
α-Ketoisovalerate, 211
Killer toxin, 254, 258
  precursor processing, 259–60
Klebsiella pneumoniae
  histidase genes, 433
  nitrogen regulation, 430
  nitrogenase synthesis activation, 190
  promoter, 183
    sequence, 186
  pullulanase gene, 191

L

Lactose
  system control, 174
Laughnan, John, 16
Lec^R phenotypes of glycosylation mutants, 536, 539–41, 543–44, 546
Lec1 phenotype, 538–39, 544
Lectins, 535–40
LEU1 gene, 211–12
LEU2 gene, 211–12
Leucine
  biosynthesis, 209
    regulation, 211–12
LexA, 420–24
Li, H. W., 24
Lilium longiflorum
  synaptonemal complex
    formation, 352
    Psn. DNA distribution, 400
    unique DNA sequence, 398
lin(n300) mutants, 504–5, 509, 515
lin-4 mutants, 508–9, 518
lin-11 hermaphrodites, 506, 509, 515
lin-12 genes, 510, 514–15, 518
  analysis, 511–13
    gene dosage studies, 511–12
    mutation nature, 511
    sites and time of action, 512
    switch control, 512–13
  mutation interaction with other mutations, 515
lin-12(d) mutants, 506–7, 509, 511–12, 515–16, 520
lin-12(0) mutants, 506–7, 511, 515–16
lin-14 mutants, 508–9, 514–15, 518–19
  analysis, 513
lin-14(d) mutants, 518
lin-17 mutants, 503–4, 509, 518, 520
lin-22 mutant, 503, 509
lin-28 mutants, 508–9, 518–19
lin-29 mutations, 508–9, 518
Lindstrom, Eugene W., 13–14
Linkage
  discovery, 7
  first examples, 12–13
  summary
    maize, 19–20
Lon system, 424–25
  pleiotropic mutations, 432
Longley, Albert E., 16–17

M

Maize Genetics Cooperation, 18
  organization, 19
Maize Genetics Cooperation News Letter, 19
Maize genetics early years, 1–29
  cooperative efforts, 18–19
    Maize Genetics Cooperation, 18–19
  cytogenetics rise, 20–26
    discoveries, 24–25
  first examples of linkage, 12–13
  genesis, 3–6
    Mendel, 3–6
  introduction, 1–3
    Emerson, 2
    McClintock, 2
  laying the foundations, 3–12
    Emerson, 8
  rediscovery, 6–8
    gene linkage, 7
Major histocompatibility complex
  see Mouse, immunogenetics of major histocompatibility complex
Malate dehydrogenase, 256
Maltose, 192, 194, 256
  activator binding site identification, 188
  homology between operon promoters, 187
  system control, 174
Mammalian α-globin pseudogene, 288
Manducin, 476
Mangelsdorf, P. C., 14
McClintock, Barbara, 2, 21–23
Mediterraneans
  specific mutations frequency, 155
Melittin, 474
Mendel, Gregor, 3–6
N-Methyltransferase, 219–21, 224
5-Methyltryptophan, 209
β-2-Microglobulin, 101
Mixed lymphocyte responses, 111
  T cell clones, 112
Mobile genetic elements, evolutionary implications, 271–93
  bacterial insertion sequences, 274
    classes, 275
    effect of insertion on gene expression, 278–79
    growth competition experiments, 279–81
    self-regulation of IS10 and IS50 movement, 276–78
    transposition and cointegration, 275
  conclusion, 289–90
  Drosophila, 282
    copy number regulations, 282–83
    hybrid dysgenesis, 284–85
    P factors distribution, 285
    regulatory mutations induced by transposons, 283–84

introduction, 271–72
macroevolution, 289–90
mobile elements in mammalian cells, 283
cross-species gene transfer, 288–89
transposons in yeast, 281–82
Morgan, T. H., 25
Mouse, immunogenetics of major histocompatibility gene complex, 99–129
class I MHC antigens, 101–2
chemical analysis, 101
dynamic evolution of *D* region genes, 102–4
gene conversion, 104–8
linear representation of K^b molecule, 105
molecular map of *H-25* region, 121
molecules encoded by *D* region, 102
structural analysis of *D* region-encoded antigens, 103
class II MHC antigens, 108–9
applications of I region mutant B6.C-*H-2*^{bm12}, 109–13
background and serological analysis of *bm12* mutation, 110
characteristics, 108
chemical analysis of *bm12* mutation, 111
functional analysis of *bm12* mutation, 111–13
Ia antigen control of immune responses, 112–13
I-J as modified *I-A* and/or *I-E* polypeptide chain, 114–15
I-J is T-cell receptor for self, 116
I-J paradox, 113–14
I-J regulation by genes outside MHC, 115–16
immune response capabilities of B6 and *bm12* mice, 112
intra-I region recombinants, 113–16
subregions, 108–9
class III MHC antigens, 116
C4 and Slp characterization, 118–19
gene regulation in *S* region, 119–20
gene regulation of C4, 119–20
gene regulation of Slp, 120
genetic variation in *H-25* region products, 117
genetic variation in *S* region, 118–19
historical background, 118
molecular genetic study of *S* region, 120–21
S region control of C2 and factor B, 119
conclusions, 121–23
introduction, 100–1
gene product classes, 100
genetic structure, 100
haplotype, 101
Mouse mammary tumor virus, 564, 566, 576, 579
Muller, H. J., 15–16
Murine plasmacytoma cell lines
translocations, 581–83
specific examples, 583–86
Myeloblastosis-associated virus, 564

N

NAD-dependent glutamate dehydrogenase, 256
Nalidixic acid, 416
effect on DNA structure, 314
heat-shock proteins induction, 306, 425
Nematode development control, 489–524
cell lineage, 492–93
ancestry and fate, 496, 498
cell division and fate patterns, 491–92
cell to cell interactions, 494–96
equivalence group, 495
invariance and cell autonomy, 492, 494
regulatory cells genetic control, 499
sublineages, 498–500
vulval development model, 497
cell lineage evolution, 516–17
heterochronic mutants and evolution, 517–18
regulatory cells, homeosis, and saltatory evolution, 517
cell lineage genetic control, 518
gene action specificity, 518–19
genetic specification of cell fate, 520
genetic subprograms, 519–20
cell lineage mutants, 500–1
ced-3 and *ced-4* mutants, 307
execution mutants, 506
genetic subprograms, 506
heterochronic mutants, 507–8
homeotic mutants, 502–10
homeotic mutants summary, 509–10
intersex mutants, 508–9
lin-12(d) and *lin-12(0)* mutants, 506–7
lin-17 mutant, 503–4
lin-22 mutant, 503
multivulva mutants, 504
precocious mutants, 508
production mutants, 505
reception and determination mutants, 505–6
retarded mutants, 508
unc-86 mutants, 504
utility, 501–2
vulvaless mutants, 504–5
conclusion, 520–21
gene identification, 510
analysis of *lin-12*, 511–12
analysis of *lin-14*, 513
analysis of *tra-1* and *her-1*, 513
cellular identity transformation, 514
lin-12 acts to control a switch, 512–13
lin-12 gene dosage studies, 511–12
lin-12 mutation nature, 511
lin-12 sites and time of action, 512
switch genes, 514–15
gene interactions and pathways, 515–16
introduction, 490–91
Neonatal bacterial meningitis, 41, 51
Neottiella rutilans
haplontic meiosis, 333, 344–45
Neuffer, M. G., 16
Neurospora crassa, 398
recombination nodules and crossing over, 394, 397
synaptonemal complex length, 395
NIH/3T3 cells, 570, 580
oncogenes
assay, 559, 562
detected oncogenes list, 560–61
Nitrogen
limitation
gene regulation, 431

global inducible system, 430–32, 435
Nitrogenase
synthesis activation, 190

O

Oncogenes
see Cellular oncogenes
molecular genetics
Oral contraceptives
trisomy incidence, 88
Outer membrane protein, 44–45

P

P transposons, 282, 286–87, 290
Panagrellus redivivus, 500
cell
division patterns, 491
lineages, 492–93
lineage evolution, 516–17
sublineages, 498–99
gonad, 517
regulatory cells genetic control, 499
PEP4 gene, 251, 255, 160
Perry, H. S., 24
Ph[1] chromosome, 586–87
Phage
DNA replication protein requirement, 302
high-temperature production proteins, 308–9
Phosphate
bacterial accumulation, 193
limitation
gene regulation, 429, 435
global inducible system, 428–29
Phosphatidylcholine, 217–18, 220–21, 223, 227
Phosphatidylethanolamine, 218, 220
Phosphatidylinositol, 218, 220, 225, 227
Phosphatidylinositol synthase, 220
Phosphatidylserine synthase, 219–21, 224
Phosphoenolpyruvate kinase, 256
Phospholipid biosynthesis control, 217–26
Plasmids, 192
E. coli, 48–50, 55, 59–60
diversity, 49
encoded traits, 49
evolution, 52
enterotoxin, 39
fimbrial antigen, 41
mobile genetic elements, 272
problems in studying gene expression, 191
Polymorphism, 122
class I MHC genes, 107–8
see also Human β-globin gene, mutation and polymorphism
Powers, Leroy, 14
Proline, 193
Promellitin, 245
Protease
see Yeast protease synthesis and function
Proteinase A, 244, 260
carbohydrate content, 248–49
cellular function, 241–42
structural gene, 235
structure, 235
synthesis, 255
Proteinase B, 244, 260
cellular functions, 242–43
composition, 249
properties, 238
structural gene, 238
Proteinase B inhibitor, 241
Proteinase P, 240
Pseudogenes, 108–9
Pseudomonas putida
xylene assimilation activation, 192
Pullulanase gene, 191

R

Randolph, Lowell F., 20–23
ras alleles
base substitutions, 570–74
mutations, 572–73
when acquired, 574
Recombination, 51–52
Regulon
definition, 416
Restriction–fragment length polymorphisms, 46, 80
Retroviral oncogenes, 555, 588–91
list, 556–57
Retroviruses
gene transfer vectors, 163
similarity to transposable elements, 287
Rhizobium meliloti
promoters, 183, 186
Rhoades, M. M., 24
Rhoades, Virginia, 24
Richey, Frederick D., 16, 20
RNA
common sequences, 459
mutation of cleavage signal, 145
splicing, 137
splicing mutants, 143
enhancement of cryptic splice site, 145
sequence changes at junctions, 143–44
sequence changes within introns, 144–45
mRNA, 137, 143–46, 175, 179–80
codon 39 nonsense mutation, 142
degradation after heat shock, 321
β-globin transcription, 135
nonfunctional
β-thalassemias, 141–42
rRNA, 417
silkworm
5S and 18S sequences, 478
genes, 478
tRNA, 142
silkgland
adaptation, 456–57
processing, 457–58
structure, 457
transcription control, 458–59
RNA polymerase, 174–75, 178, 181, 298, 302, 312, 316, 424–25, 432
binding versus activator site, 185, 191
catabolite activator protein interaction, 188
phage gene transcription, 195
promoter recognition, 181–82
sporulation promoters, 196
RNA polymerase II, 135–36, 319–20
RNA polymerase III, 135, 458–59
Roman, Herschel, 16
Rous sarcoma virus, 555, 593–94

S

Saccharomyces cerevisiae
homologies of vertebrate proto-oncogenes, 596
see also Yeast; Yeast amino acid and phospholipid synthesis
Salmonella sp.
global regulatory network, 427–28
nitrogen regulation, 430
Salmonella typhimurium, 46, 195
insertion sequence promoter, 278
nucleotide production, 315

spontaneous deletions stimulation, 276
Schwartz, Drew, 15
Selfish-gene hypothesis, 273, 286
general considerations, 273
Sericins, 445–46, 456
composition, 447
structural genes, 449
Sericin gene
isolation and structure, 455–56
proposed structure, 456
sequence homology to fibroin gene, 451
Serine
linked carbohydrates, 529
D-Serine, 192
Serological analysis
bm12 mutation, 110
Serotypes
E. coli, 42–43, 45
antigen role in pathogenicity, 51
diversity, 50
Sharp, Lester W., 20
Shigella
DNA hybridization, 45–46
E. coli
genetic variation comparison, 44
relationship, 34, 40
toxin, 39
Shull, George H., 17
Sialic acid, 41
Sickle cell anemia
experimental treatments, 162
prenatal diagnosis, 160
Silkmoth *(Bombyx mori)*
diplontic meiosis, 333, 346–47
synaptonemal complex
assembly, 343
chiasmata formation in spermatocytes, 367–68
chromosome complement of mid-pachytene nucleus, 357–58
chromosome pairing correction, 357, 359
homologues at early pachytene, 357
interlockings and breaks in early pachytene, 355
quadrivalents behavior, 359
recombination and chromatin nodule numbers, 369
recombination distribution, 384–85
recombination nodules, 396
Silkmoths developmentally regulated genes, 443–87
chorion genes and choriogenesis, 460
chorion proteins, 460–63
coding sequences, 464
description of chorion, 460
fine structure and expression, 463–65, 467
5′ flanking sequences, 466
gene clusters, 467
gene conversion and evolution, 472–73
gene pair representation, 463
grey egg mutations, 467–68
hybridization probes, 465
molecular organization of gene locus, 469–72
sequence relationships among genes, 462
structural gene mapping and chorion mutants, 467–69
future prospects, 480
humoral immunity, 473
attacins, 474–75
cecropins, 473–74
introduction, 444–45
other developmentally regulated proteins, 479–80
rRNAs, genes and proteins, 478–79
silkgland differentiation
common RNA sequences, 459
developmental mutants, 447–48
enhancer sequences of fibroin, 453–54
fibroin, 446–47
fibroin chromosomal gene analysis, 449
fibroin cloned gene analysis, 450–52
fibroin gene structure and function, 449–55
fibroin promoter, 452–53
isolation and structure of sericin genes, 455–56
natural versus cloned fibroin genes, 454–55
tRNA adaptation, 456–57
tRNA processing, 457–58
tRNA structure, 457
tRNA transcription control, 458–59
sericin, 447
silkgland system, 445
structural gene mutants, 448–49
Smoking
trisomy incidence, 89
SOS system
regulation, 420–24
induction, 420
Sprague, George F., 13–14, 20
Stadler, Lewis, J., 15–16, 20
SV40 shuttle vector, 287
Synaptonemal complex in genetic segregation, 331–413
chiasma formation and terminalization
chiasma formation, 367–70
developmental sequence of *Coprinus cinereus* nuclei, 368, 370–71
disjunction in absence of chiasma formation, 380–81
disjunction of sex chromosomes, 381–84
elimination pattern of synaptonemal complex, 369, 372
partial reconstructions of human spermatocytes, 376–77
recombination and chromatin nodule numbers in silkworm, 369
recombination bars, 369
recombination nodules, 367–69, 374, 380
recombination nodules distribution in XY bivalents, 383
reconstructed XY bivalents, 382
synaptonemal complex and lateral components, 380
synaptonemal complex as precondition, 374–80
synaptonemal complex segments distribution, 372, 374
terminalization, 371–74
comparison of length, DNA content and crossing-over frequency, 399
homologous and nonhomologous pairing, 354–67
breakpoint mapping, 362
chromosome complement of mid-pachytene nucleus, 357–58
dosage effect of long arm of chromosome SB, 364–65
frequencies of chromosome and bivalent interlockings and breaks, 356

homologous reverse pairing, 365
homologues at early pachytene, 357
late pachytene inversion heterozygotes, 353
late zygotene *Triticum aestivum* chromosome complement, 363
multivalent formation at zygotene, 362
pachytene small nuclear DNA, 364
pairing behavior of reciprocial translocations, 360–61
synaptic adjustment of inversion loop, 366
zygotene-pachytene, 355
introduction, 331–32
methodology, 332
perspectives, 395–401
conserved DNA sequences, 398
evolution of bivalent formation, 396
gene conversion, 397–98
pachytene small nuclear protein, 400
synaptonemal complex rearrangements role, 396
unique DNA sequence in lily, 398
recombination nodules and crossing over
Drosophila, 388–94
exchanges distribution along bivalents in Drosophila, 390–91
Neurospora, 394
recombination-defective mutants, 392–94
repair-type DNA synthesis, 392
yeast, 394–95
recombination nodules distribution among and along bivalents, 384–98
bivalents length, 385
cumulative distributions of recombination bars, 388
late zygotene and midpachytene, 386
neighbor nodule/bar distances, 387
positive chiasma interference, 388
recombination bars, 386
synaptonemal complex in normal meiosis, 333, 343, 348
diplontic meiosis in silkworm, 343, 346–47
haplontic meiosis in *Neottiella*, 344–45
interlockings and breaks in early pachytene, 355
leptotene, 349–50
Lilium longiflorum, 352
meiosis location in life cycle, 342–43
premeiotic interphase, 348–49
significant events at interphase to pachytene, 348–54
spreading of 3-D reconstruction of meiotic nuclei, 334–39
structural rearrangements, 340–41
zygotene-pachytene, 350–54

T

T cell
markers, 113
receptor, 116
recognition, 112
T cell lymphoma, 564, 574–76
Temperature
DNA structure changes, 305
see also Heat-shock proteins regulation and genetics
Thalassemia
cause, 132–33, 138
complex forms, 146–49
deletion forms, 147–48
enhancement of cryptic splice site, 145
forms, 138
β-gene mutations-chromosome haplotypes association, 154–55
Indian β^0-deletion, 146
mutations, 140–41
mutation location in β-globin gene, 139
mutation of RNA cleavage signal, 145
nondeletion defects, 148–49
nonfunctional mRNAs, 141–42
phenotype correlation with gene defects, 146
prenatal diagnosis, 160–61
prospects for new forms of therapy, 162
RNA splicing mutants, 143–45
sequence changes at RNA splicing junctions, 143–44
sequence changes within introns, 144–45
simple form, 138–39
transcription mutants, 139, 141
β-Thalassemic gene, 135, 138
Threonine, 211
linked carbohydrates, 529
Thymidine kinase gene, 136
Thyroid autoimmunity
Down syndrome, 39–90
Tn3, 276–78
Tn5, 276, 278
Tn10, 279–80
tra-1 genes, 510, 514–15
analysis, 513
TRP5 gene, 213–14
Transposable elements, 272
E. coli, 55–56, 61
Tryptophan
biosynthesis, 209
Tryptophan synthase, 213, 241
Trisomy in man, 69–97
conclusions, 92
etiology
age-specific rates, 83
decreased spontaneous abortions, 86
delayed fertilization effect, 86
female hormone levels, 86
fetal production line, 84–85
maternal age effect basis, 84–87
maternal age in spontaneous abortions, 81
maternal irradiation, 87–88
parental age, 81–84
paternal age, 84, 86
other factors, 88–92
incidence, 70
different populations, 71
early fetal wastage and conception, 74–76
gestational age and spontaneous abortion, 75
livebirths, 71–72
spontaneous abortions, 72–73
stillbirths, 72
introduction, 69–70
origin, 76–80
chromosome heteromorphisms, 77–78, 80
parental origin in liveborne individuals, 78
parental origin in spontaneous abortions, 79
restriction–fragment length polymorphisms, 80

Xg blood group study, 76–77
Ty transposons, 281–82

U

Ultraviolet light
effect on DNA structure, 314
heat-shock proteins induction, 306
resistance and thermotolerance, 318
unc-86 mutants, 504, 509, 518, 520
Urinary tract infections, 40, 44–45

V

v-onc genes
comparison to *c-onc* genes, 588–90
inactivation, 593
Vaginal spermicides
trisomy incidence, 88
Valine, 211
Vitellogenins, 477–78
von Nägeli, Carl, 4–6
vul mutations, 505–6
Vulva
cell lineages, 515
multivulva mutants, 504
vulvaless mutants, 504–5

W

Water
E. coli concentrations, 37

X

Xenopus laevis
heat-shock proteins, 316
Xg blood group
trisomy origin determination, 76–77
X-rays
trisomies, 87–88
Xylene, 192

Y

Yeast, 398
recombination nodules, 394–95
transposons, 281–82
see also *Saccharomyces cerevisiae*
Yeast amino acid and phospholipid synthesis regulation, 207–31
amino acid biosynthesis
arginine biosynthesis regulation, 210–11
coordinate regulation, 208–10
epistatic interactions of regulatory genes, 217
gcd mutants, 215–16
gcn mutants, 215–16
histidine biosynthesis regulation, 212–14
leucine biosynthesis regulation, 211–12
regulatory genes, 215–17
conclusions, 226–27
introduction, 207–8
phospholipid biosynthesis, 217–18
coordinate regulation, 218–20
enzyme encoding genes, 220–22
epistatic interactions of regulation genes, 225
genes involved in regulatory control, 223–26
inositol biosynthesis regulation, 222–23
pathways, 218
Yeast protease synthesis and function, 233–70
aberrant and nonfunctional proteins turnover, 257
cell cycle–related proteolysis, 257–58
cellular functions of proteases
aminopeptidase I, 243–44
carboxypeptidase S, 246–47
carboxypeptidase Y, 243
membrane-bound protease, 245–46
mitochondrial proteases, 244–45
other proteases, 246–47
proteinase A, 241–42
proteinase B, 242–43
vacuolar proteases, 241–44
vacuolar proteases catalyzed proteolysis, 244
conclusions, 260–61
introduction, 234
metabolically triggered proteolysis
catabolite inactivation, 256
starvation-triggered inactivations, 256
proteolytic enzymes, 235–37
aminopeptidase I, 239
carboxypeptidase Y, 238–39
membrane-bound proteases, 239–40
mitochondrial proteases, 239
other proteases, 240–41
proteinase A, 235, 238
proteinase B, 238
vacuolar proteases, 235, 238–39
proteolytic events of precursor processing
internal cleavages of secreted proteins, 258–60
mitochondrial proteases, 258
removal of N-terminal methionine, 258
signal peptidase removal from secreted proteins, 258
vacuolar hydrolases, 260
vacuolar hydrolases synthesis processing and localization
carboxypeptidase Y, 251–55
mannoprotein synthesis, 247–50
other vacuolar hydrolases, 255–56
structures, 248